

## **TEST REPORT**

REPORT No.: CTB180118004C Date: 2018-01-30 Page 1 of 3

Client Company: Forbest Manufacturing Co.Ltd

Address: Fulian industrial Longhua Town Shenzhen city Guangdong provine china

Manufacturer's Name: Forbest Manufacturing Co.Ltd

Address: Fulian industrial Longhua Town Shenzhen city Guangdong provine china

Report on the submitted samples said to be: Sample Name : PTFE TUBE

Style/ Item No. : /

Sample Receiving Date : 2018-01-23

Testing Period : 2018-01-24~2018-01-30

Results : Please refer to next page(s).

#### **Summary of Test Results:**

| TEST REQUEST        | CONCLUSION |  |
|---------------------|------------|--|
| FDA 21 CFR 177.1500 | Pass       |  |

#### Shenzhen CTB Testing Technology Co., Ltd

Add: First floor, E building, Huayang Technology Industry Park, Gushu Village,
Bao'an District, Shenzhen City, P.R.C
Web: http://www.ctb-lab.com Tel: +86-0755-61996588 Fax: +86-0755-23208027



## **TEST REPORT**

REPORT No.: CTB180118004C Date: 2018-01-30 Page 2 of 3

Test Result(s)

PART NAME No.1: plastic material

#### FDA 21 CFR 177.1500-Maximum extractable fraction

Test Requested: As specified by client, to determine Maximum extractable fraction Nylon 66 used in Contact with Food and Drug Administration Regulations.

Test Method: With reference to US FDA 21 CFR 177.1500.

(1)

| Time   | Temperature        | MaxPermissible Limit | Result of 001 | Comment |
|--------|--------------------|----------------------|---------------|---------|
| 8hr(s) | Reflux temperature | 0.2% (w/w)           | <0.03% (w/w)  | PASS    |
| 8hr(s) | Reflux temperature | 1.5% (w/w)           | 0.51% (w/w)   | PASS    |
| 8hr(s) | Reflux temperature | 1.5% (w/w)           | 0.37% (w/w)   | PASS    |
| 8hr(s) | Reflux temperature | 0.2% (w/w)           | <0.04% (w/w)  | PASS    |

#### Note:

1. MDL = Method Detection Limit

2. " - " = Not Regulated

Check By: Mason Jai

**Approve By:** 


Date: 2018-01-30



# **TEST REPORT**

REPORT No.: CTB180118004C Date: 2018-01-30 Page 3 of 3

### **Photo documentation**



\*\*\* End of Report \*\*\*